

Appendix 6: Stocking Densities in Transport
 (Standard 2.3.1)

BOVINE ANIMALS

| Category | Approx weight (in kg) | Area in m ² /animal |
|---------------------|-----------------------|--------------------------------|
| Small Calves | 55 | 0,30 to 0,40 |
| Medium-sized calves | 110 | 0,40 to 0,70 |
| Heavy calves | 200 | 0,70 to 0,95 |
| Medium-sized cattle | 325 | 0,95 to 1,30 |
| Heavy cattle | 550 | 1,30 to 1,60 |
| Very heavy cattle | >700 | [>1,60] |

These figures may vary, depending not only on the animals' weight and size, but also on their physical condition, the meteorological conditions and the likely journey time.

SHEEP/GOATS

| Category | Weight (in kg) | Area in m ² per animal |
|---|----------------|-----------------------------------|
| Shorn sheep and lambs of 26 kg and over | <55 | 0,20 to 0,30 |
| | >55 | >0,30 |
| Unshorn sheep | <55 | 0,30 to 0,40 |
| | >55 | >0,40 |
| Heavily pregnant ewes | <55 | 0,40 to 0,50 |
| | >55 | 0,50 |
| Goats | <35 | 0,20 to 0,30 |
| | 35 to 55 | 0,30 to 0,40 |
| | >55 | 0,40 to 0,75 |
| Heavily pregnant goats | <55 | 0,40 to 0,50 |
| | >55 | >0,50 |

The surface area indicated above may vary depending on the breed, the size, the physical condition and the length of fleece of the animals, as well as on the meteorological conditions and the journey time. As an indication: for small lambs, an area of under 0,2m² per animal may be provided.

PIGS

All pigs must at least be able to lie down and stand up in their natural position.

In order to comply with these minimum requirements, the loading density for pigs of around 100 kg should not exceed 235 kg/m².

The breed, size and physical condition of the pigs may mean that the minimum required surface area given above has to be increased: a maximum increase of 20% may also be required, depending on the meteorological conditions and the journey time.

(Source: Council Regulation (EC) No 01/2005) "Space allowances" (Annex 1, Chapter VII)